



TFI..
SERYSY
MAFSAL

DIN 648
ISO 6126
C45 Çelik

pavarini
COMPONENTS



PARÇA NO.	d	S	D4	I	D1	D3	E	D2	D5	S1	L	L1	LF	F	Yük Kapasitesi		Oynama Açısı Derece	Ağırlık Kg.
															Din C	Stat C0		
															KN			
TFI 6 FK	6	6	8	30	21	13	10.5	11	5	4.3	40.5	10.5	11	M 6X1	8.1	3.4	13	0.02
TFI 8 FK	8	8	10.2	36	24	15	12	13	5	6	48	12	15	M 8X1.25	12.9	5.5	15	0.04
TFI 10 FK	10	9	13.2	43	29	18	15	15	6.5	7	57.5	14	20	M10X1.5	17.6	8.1	12	0.06
TFI 12 FK	12	10	15	50	34	20	17	18	6.5	8	67	17.5	24	M12X1.75	24.5	10.8	11	0.09
TFI 15 FK	15	12	18.4	61	40	24	20	21	8	10	81	20	30	M14X2	36	17	8	0.18
TFI 17 FK	17	14	20.7	67	46	28	23	24	10	11	90	23	34	M16X2	45	21.2	10	0.22
TFI 20 FK	20	16	24.1	77	53	35	27.5	32	10	13	103.5	27.5	40	M20X1.5	60	30	9	0.35
TFI 25 FK	25	20	28.3	94	64	42	33.5	36	12	17		32	48	M24X2	83	48	7	0.64
TFI 30 FK	30	22	34.2	110	73	50	40	41	15	19	146.5	37	56	M30X2	110	62	6	0.93
TFI 35 FK- 2RS	35	25	39.7	125	82	58	47	50	15	21	166	42	60	M36X3	146	80	6	1.30
TFI 40 FK- 2RS	40	28	45	142	92	65	52	55	18	23	188	48	67	M39X3	180	100	7	2.01
TFI 45 FK- 2RS	45	32	50.7	145	102	70	58	60	20	27	196	52	65	M42X3	240	127	7	2.50
TFI 50 FK- 2RS	50	35	56	160	112	75	62	65	20	30	216	59	69	M45X3	290	156	6	3.50
TFI 60 FK- 2RS	60	44	66.8	175	135	88	70	75	20	38	242	75	73	M52X3	450	245	6	5.50
TFI 70 FK- 2RS	70	49	77.8	200	160	98	85	80	20	42	280	87	80	M56X4	610	315	6	8.60
TFI 80 FK- 2RS	80	55	89.4	230	180	110	95	100	25	47	320	100	85	M64X4	750	400	6	12.00
TFI 40 FK- 2RS MAG.	40	28	45	142	92	65	52	55	18	23	188	48	67	M42X3	180	100	7	1.96
TFI 45 FK- 2RS MAG.	45	32	50.7	145	102	70	58	60	20	27	196	52	65	M45X3	240	127	7	2.44
TFI 50 FK- 2RS MAG.	50	35	56	160	112	75	62	65	20	30	216	59	69	M52X3	290	156	6	3.40
TFI 60 FK- 2RS MAG.	60	44	66.8	175	135	88	70	75	20	38	242	75	73	M60X4	450	245	6	6.10
TFI 70 FK- 2RS MAG.	70	49	77.8	200	160	98	85	80	20	42	280	87	80	M72X4	610	315	6	8.70
TFI 80 FK- 2RS MAG.	80	55	89.4	230	180	110	95	100	25	47	320	100	85	M80X4	750	400	6	13.90



TFE..

SERYSY MAFSAL

DIN 648 ISO 6126 C45 Çelik

pavarir COMPONENT



PARÇA NO.	d	S	D4	I	D1	D3	E	D2	D5	S1	L	L1	LF	F	Yük Kapasitesi		Oynama Açısı	Ağırlık
															Dın C	Stat C0		
mm															KN		Derece	Kg.
TFE 6 FK	6	6	8	30	21	13	10.5	11	5	4.3	40.5	10.5	11	M 6X1	8.1	3.4	13	0.02
TFE 8 FK	8	8	10.2	36	24	15	12	13	5	6	48	12	15	M 8X1.25	12.9	5.5	15	0.04
TFE 10 FK	10	9	13.2	43	29	18	15	15	6.5	7	57.5	14	20	M10X1.5	17.6	8.1	12	0.06
TFE 12 FK	12	10	15	50	34	20	17	18	6.5	8	67	17.5	24	M12X1.75	24.5	10.8	11	0.09
TFE 15 FK	15	12	18.4	61	40	24	20	21	8	10	81	20	30	M14X2	36	17	8	0.18
TFE 17 FK	17	14	20.7	67	46	28	23	24	10	11	90	23	34	M16X2	45	21.2	10	0.22
TFE 20 FK	20	16	24.1	77	53	35	27.5	32	10	13	103.5	27.5	40	M20X1.5	60	30	9	0.35
TFE 25 FK	25	20	28.3	94	64	42	33.5	36	12	17	126	32	48	M24X2	83	48	7	0.64
TFE 30 FK	30	22	34.2	110	73	50	40	41	15	19	146.5	37	56	M30X2	110	62	6	0.93
TFE 35 FK- 2RS	35	25	39.7	125	82	58	47	50	15	21	166	42	60	M36X3	146	80	6	1.30
TFE 40 FK- 2RS	40	28	45	142	92	65	52	55	18	23	188	48	67	M39X3	180	100	7	2.01
TFE 45 FK- 2RS	45	32	50.7	145	102	70	58	60	20	27	196	52	65	M42X3	240	127	7	2.50
TFE 50 FK- 2RS	50	35	56	160	112	75	62	65	20	30	216	59	69	M45X3	290	156	6	3.50
TFE 60 FK- 2RS	60	44	66.8	175	135	88	70	75	20	38	242	75	73	M52X3	450	245	6	5.50
TFE 70 FK- 2RS	70	49	77.8	200	160	98	85	80	20	42	280	87	80	M56X4	610	315	6	8.60
TFE 80 FK- 2RS	80	55	89.4	230	180	110	95	100	25	47	320	100	85	M64X4	750	400	6	12.00
TFE 40 FK- 2RS MAG.	40	28	45	142	92	65	52	55	18	23	188	48	67	M42X3	180	100	7	1.96
TFE 45 FK- 2RS MAG.	45	32	50.7	145	102	70	58	60	20	27	196	52	65	M45X3	240	127	7	2.44
TFE 50 FK- 2RS MAG.	50	35	56	160	112	75	62	65	20	30	216	59	69	M52X3	290	156	6	3.40
TFE 60 FK- 2RS MAG.	60	44	66.8	175	135	88	70	75	20	38	242	75	73	M60X4	450	245	6	6.10
TFE 70 FK- 2RS MAG.	70	49	77.8	200	160	98	85	80	20	42	280	87	80	M72X4	610	315	6	8.70
TFE 80 FK- 2RS MAG	80	55	89.4	230	180	110	95	100	25	47	320	100	85	M80X4	750	400	6	13.90